



Tank Guide

Tank	Specs.	Juice Capacity	Juice Fill	Coils	Glass Replacement	Mouthpiece
Aspire Atlantis EVO Extended Pack	Sub-ohm tank with the option of standard (Triton 1.8ohm, Atlantis 1.0ohm) Bottom airflow control Fits the Eleaf iStick Pico and Wismec RX7, among others	2mL or 4mL	Top fill	Triton (0.5ohm, 1.8ohm, ni200) Atlantis (0.3ohm, 0.5ohm, 1.0ohm) Atlantis Evo (0.4ohm, 0.5ohm) Eleaf EC head (0.5ohm)	No standard 2mL Aspire Cleito glass for 4ml replacement	Can use certain 510 mouthpieces or Aleader AS126 Cleito tip *You must take off derin top piece to use other mouthpiece*
Aspire CE5-S	Standard tank Bottom airflow Works best with juice that is 50VG (50PG) or 60VG (40PG) Fits the Eleaf iStick Pico and Wismec RX75, among others Needs 510 adapter when used with box mod	2mL	Bottom fill	Aspire BVC (1.8ohm)	NO	Standard 510 mouthpiece
Aspire Cleito	Sub-ohm tank Bottom airflow control Works best with juice that is over 60VG (40PG) Rated best inexpensive tank of 2016 Fits the Eleaf iStick Pico and Wismec RX75, among others	3.5mL	Top fill	Aspire Cleito (0.2ohm, 0.4ohm, 0.27ohm, 0.4ohm SS316L) Option to use RTA system to build coils (RTA system not included)	YES With option to upgrade to 5mL	Can use certain 510 mouthpieces or Aleader AS126 Cleito tip
Aspire Cleito 120	Sub-ohm tank Bottom airflow control Works best with juice that is over 60VG (40PG) Works best with a 2+ battery mod (mod needs at least 150w)	4mL	Top fill	Aspire Cleito 120 (0.16ohm) Option of a RTA system to build coil (not included)	NO (tank comes with glass replacement)	CANNOT use standard 510 mouthpiece *Built-in mouthpiece*

Tank	Specs.	Juice Capacity	Juice Fill	Coils	Glass Replacement	Mouthpiece
Aspire Cleito EXO	Sub-ohm tank Top airflow Works best with juice that is over 50VG (50PG)	2mL 3.5mL when using original Cleito coils	Top fill	Aspire Cleito (0.2ohm, 0.4ohm, 0.27ohm, 0.4ohm SS316L) Aspire Cleito EXO (0.16ohm)	NO	Not a standard 510 mouthpiece, but comes with extra
Aspire Nautilus	Standard tank Bottom airflow control Fits the Eleaf iStick Pico and Wismec RX75, among others	5mL	Bottom fill	Nautilus BVC (1.8ohm) Triton Mini (1.8 ohm)	Yes, with the option of a hollowed metal tank (tank comes with glass replacement)	Standard 510 mouthpiece
Aspire Nautilus 2	Standard tank with the option of sub-ohm coil (Nautilus BVC 0.7ohm) Bottom airflow control Works best with juice that is 70VG (30PG) and under Fits the Eleaf iStick Pico and Wismec RX75, among others	2mL	Top fill	Nautilus BVC (0.7ohm, 1.8ohm)	Tank comes with glass replacement	Standard 510 mouthpiece
Aspire Nautilus Mini	Standard tank Bottom airflow control Fits the Eleaf iStick Pico and Wismec RX75, among others	2.5mL	Bottom fill	Nautilus BVC (1.8ohm) Triton Mini (1.8 ohm)	Yes, with the option of a hollowed metal tank (tank does not come with glass replacement)	Standard 510 mouthpiece
Aspire Nautilus X	Standard tank with the option of sub-ohm coil (PockeX 0.6ohm) Top airflow control Able to extend to 4mL juice capacity with extension pack (not included) Fits the Eleaf iStick Pico and Wismec RX75	2mL	Top fill	Nautilus X (1.5ohm,1.8ohm) PockeX (0.6ohm)	Tank comes with glass replacement	CANNOT use standard 510 mouthpiece
Aspire Quad Flex Survival Kit (Nautilus X)	Standard tank with the option of using sub-ohm coil (PockeX) Top airflow control Able to extend to 4mL juice capacity with extension pack (not included) Fits the Eleaf iStick Pico and Wismec RX75, among others	2mL	Top fill	Nautilus X (1.5ohm,1.8ohm) PockeX (0.6ohm)	Nautilus X (tank does not come with replacement)	CANNOT use standard 510 mouthpiece

Tank	Specs.	Juice Capacity	Juice Fill	Coils	Glass Replacement	Mouthpiece
Aspire Triton 2	Sub-ohm tank with the option of standard (Triton 1.8ohm, Atlantis 1.0ohm) Bottom airflow control	3mL	Top fill	Triton (0.5ohm, 1.8ohm, ni200) Atlantis (0.3ohm, 0.5ohm, 1.0ohm) Atlantis Evo (0.4ohm, 0.5ohm) Eleaf EC head (0.5ohm)	Hollowed metal tank (tank comes with glass replacement)	Standard 510 mouthpiece
Council of Vapor Vengeance	Sub-ohm tank Bottom airflow control Honeycomb mouthpiece (reduces spitback) Fits the Eleaf iStick Pico and Wismec RX75, among others	2mL	Bottom fill	Council of Vapor replacement coil (0.2ohm, 0.8ohm)	NO (tank comes with glass replacement)	CANNOT use standard 510 mouthpiece
Herakles Sense	Sub-ohm tank with the option of standard (Triton, Atlantis) Bottom airflow control	3mL	Top fill	Triton (0.5ohm, 1.8ohm, ni200) Atlantis (0.3ohm, 0.5ohm, 1.0ohm) Atlantis Evo (0.4ohm, 0.5ohm) Eleaf EC head (0.5ohm)	NO (tank comes with glass replacement)	Standard 510 mouthpiece
Herakles Sense	Sub-ohm tank with the option of standard (Triton, Atlantis) Bottom airflow control	3mL	Top fill	Triton (0.5ohm, 1.8ohm, ni200) Atlantis (0.3ohm, 0.5ohm, 1.0ohm) Atlantis Evo (0.4ohm, 0.5ohm) Eleaf EC head (0.5ohm)	NO (tank comes with glass replacement)	Standard 510 mouthpiece
Herakles Sense Plus	Sub-ohm tank with the option of standard (Triton, Atlantis) Bottom and top airflow control Juice flow control	3.6mL	Bottom fill	Herakles Sense Plus (0.4ohm)	NO (tank comes with glass replacement)	Standard 510 mouthpiece
Joyetech Cubis	Standard tank with the option of sub-ohm coil (0.5ohm/ 0.25ohm) Top airflow control (not visible) Works best with a juice that is 60VG (40PG) Fits the Eleaf iStick Pico and Wismec RX75, among others	3.5mL	Top fill	Joyetech Cubis coils: BF SS316 - 0.5ohm BF SS316 - 1.0ohm BF Clapton - 1.5ohm NotchCoil - 0.25ohm	NO	Standard 510 mouthpiece
Joyetech Cubis Pro	Standard tank with the option of sub-ohm coil (0.5ohm/0.25ohm) Top airflow control Works best with a juice that is 60VG (40PG) Fits the Eleaf iStick Pico and Wismec RX75, among others	3.5mL	Top fill	Joyetech Cubis coils: BF SS316 - 0.5ohm BF SS316 - 1.0ohm BF Clapton - 1.5ohm NotchCoil - 0.25ohm	NO	Standard 510 mouthpiece

Tank	Specs.	Juice Capacity	Juice Fill	Coils	Glass Replacement	Mouthpiece
Kangertech Pangu	Sub-ohm tank Bottom airflow control Work best with juice that is over 50VG (50PG) Fits the Eleaf iStick Pico and Wismec RX75, among others	3.5mL	Top fill	PGOCC (0.5ohm)	NO (tank comes with glass replacement)	CANNOT use standard 510 mouthpiece
Kangertech Subtank Mini	Sub-ohm tank with the option of standard (SSOCC 1.2ohm, 1.5ohm) Bottom airflow control Works best with juice that is over 50VG (50PG) Fits the Eleaf iStick Pico and Wismec RX75, among others	4.5 mL	Bottom fill	OCC ni200 SSOCC (0.5ohm, 1.2ohm, 1.5ohm) Clapton coils (0.5ohm) Comes with RBA system to build coil	YES	Standard 510 mouthpiece
Kangertech Toptank Mini	Sub-ohm tank with the option of standard (SSOCC 1.2ohm, 1.5ohm) Bottom airflow control Works best with juice that is over 50VG (50PG) Fits the Eleaf iStick Pico and Wismec RX75, among others	4mL	Top fill	OCC ni200 SSOCC (0.5ohm, 1.2ohm, 1.5ohm) Clapton coils (0.5ohm) Comes with RBA system to build coil	YES	Standard 510 mouthpiece
Smok TFV4	Sub-ohm tank Bottom airflow control and top airflow control on original mouthpiece Works best with juice that is over 50VG (50PG) Rated best cloud chaser tank in 2015	5mL	Top fill	Smok TFV4: TF-CLP2 0.35ohm TF-Q4 0.15ohm TF-S6 0.4ohm TF- Ni Air Core 0.12ohm Comes with RBA system	YES	Standard 510 mouthpiece
Smok TFV4 Mini	Sub-ohm Tank Bottom airflow control and top airflow control on original mouthpiece Works best with juice that is over 50VG (50PG) Rated best cloud chaser tank in 2015 Fits the Eleaf iStick Pico and Wismec RX75, among others	3.5mL	Top fill	Smok TFV4: TF-CLP2 0.35ohm TF-Q4 0.15ohm TF-S6 0.4ohm TF- Ni Air Core 0.12ohm Comes with RBA system	NO (tank comes with glass replacement)	Standard 510 mouthpiece
Smok TFV8 Cloud Beast	Sub-ohm tank Bottom airflow control Works best with juice that is over 60VG (40PG) Works best with a 2+ battery mod (mod needs at least 150w)	6mL	Top fill	Smok TFV8 Cloud Beast: V8 - T8 0.16ohm V8 - Q4 0.15ohm Comes with RBA system to build coils	YES	Comes with 510 adapter CANNOT use standard 510 mouthpiece without adapter or Aleader AS116 TFV8 tip

Tank	Specs.	Juice Capacity	Juice Fill	Coils	Glass Replacement	Mouthpiece
Smok TFV8 Baby Beast	Sub-ohm tank Bottom airflow control Works best with juice that is over 60VG (40PG) Fits the Eleaf iStick Pico and Wismec RX75, among others	3mL	Top fill	Smoke TFV8 Baby Beast: V8 baby - X4 0.15ohm V8 baby - T8 0.15ohm (clapton)	NO (tank comes with glass replacement)	Standard 510 mouthpiece
Smok TFV8 Big Baby Beast	Sub-ohm tank Bottom airflow control Works best with juice that is over 60VG (40PG) Fits the Eleaf iStick Pico and Wismec RX75, among others	5mL	Top fill	Smoke Baby Beast: V8 baby - X4 0.15ohm V8 baby - T8 0.15ohm (clapton) Comes with RBA system to build coils, MUST use the taller glass replacement if running RBA system	NO (tank comes with glass replacement)	Comes with 510 adapter CANNOT use standard 510 mouthpiece without adapter or Aleader AS116 TFV8 tip
Smoke TFV12 Cloud Beast King	Sub-ohm tank Bottom airflow control Works best with juice that is over 60VG (40PG) Works best with a 3+ battery mod (mod needs at least 200w)	6mL	Top fill	Smok TFV12 Cloud Beast King Coils: V12 - T12 0.12ohm Has the option of RBA system to build coils (Has 2 different RBA sections, 3-coil RBA and 2-coil RBA)	NO (tank comes with glass replacement)	Comes with 510 adapter CANNOT use standard 510 mouthpiece without adapter or Aleader AS116 TFV8 tip
SMOK Vape Pen Tank	Sub-ohm tank Bottom airflow, non-adjustable Works best with juice that is over 50VG (50PG)	2mL	Top fill	SMOK Vape Pen 0.25ohm	NO	Standard 510 mouthpiece
Uwell Crown	Sub-ohm tank Bottom airflow control Works best with juice that is over 50VG (50PG) Rated best flavour tank in 2015 - present *quartz glass, not pyrex glass*	4mL	Top fill + Bottom fill	Uwell Crown (0.25ohm, 0.5ohm, ni200)	NO (tank comes with glass replacement)	Standard 510 mouthpiece
Uwell Crown 2	Sub-ohm tank Bottom airflow control Works best with juice that is over 50VG (50PG) *quartz glass, not pyrex glass*	4mL	Top fill	Uwell Crown 2 (0.25ohm, 0.5ohm)	NO (tank comes with glass replacement)	Standard 510 mouthpiece
Uwell Crown 3	Sub-ohm tank Bottom airflow control Works best with juice that is over 60VG (40PG) *quartz glass, not pyrex glass*	5mL	Top fill	Uwell Crown 3 (0.25ohm, 0.5ohm)	NO (tank comes with glass replacement)	Standard 510 mouthpiece

Tank	Specs.	Juice Capacity	Juice Fill	Coils	Glass Replacement	Mouthpiece
Uwell Rafale	Sub-ohm tank Bottom airflow control Works best with juice that is over 50VG (50PG) *quartz glass, not pyrex glass*	5mL	Top fill	Uwell Rafale (0.25ohm, 0.5ohm)	NO (tank comes with glass replacement)	Unable to change drip tip